

1.本站收集的数据手册和产品资料都来自互联网,版权归原作者所有。如读者和版权方有任 何异议请及时告之,我们将妥善解决。

本站提供的中文数据手册是英文数据手册的中文翻译,其目的是协助用户阅读,该译文无法自动跟随原稿更新,同时也可能存在翻译上的不当。建议读者以英文原稿为参考以便获得更精准的信息。

3.本站提供的产品资料,来自厂商的技术支持或者使用者的心得体会等,其内容可能存在描 叙上的差异,建议读者做出适当判断。

4.如需与我们联系,请发邮件到marketing@iczoom.com,主题请标有"数据手册"字样。

Read Statement

1. The datasheets and other product information on the site are all from network reference or other public materials, and the copyright belongs to the original author and original published source. If readers and copyright owners have any objections, please contact us and we will deal with it in a timely manner.

2. The Chinese datasheets provided on the website is a Chinese translation of the English datasheets. Its purpose is for reader's learning exchange only and do not involve commercial purposes. The translation cannot be automatically updated with the original manuscript, and there may also be improper translations. Readers are advised to use the English manuscript as a reference for more accurate information.

3. All product information provided on the website refer to solutions from manufacturers' technical support or users the contents may have differences in description, and readers are advised to take the original article as the standard.

4. If you have any questions, please contact us at marketing@iczoom.com and mark the subject with "Datasheets".

Preferred Devices

Bias Resistor Transistors

PNP Silicon Surface Mount Transistors with Monolithic Bias Resistor Network

This new series of digital transistors is designed to replace a single device and its external resistor bias network. The BRT (Bias Resistor Transistor) contains a single transistor with a monolithic bias network consisting of two resistors; a series base resistor and a base–emitter resistor. The BRT eliminates these individual components by integrating them into a single device. The use of a BRT can reduce both system cost and board space. The device is housed in the SC–59 package which is designed for low power surface mount applications.

- Simplifies Circuit Design
- Reduces Board Space
- Reduces Component Count
- Moisture Sensitivity Level: 1
- ESD Rating Human Body Model: Class 1 – Machine Model: Class B
- The SC–59 package can be soldered using wave or reflow. The modified gull–winged leads absorb thermal stress during soldering eliminating the possibility of damage to the die.
- Available in 8 mm embossed tape and reel Use the Device Number to order the 7 inch/3000 unit reel.

MAXIMUM RATINGS (T_A = 25°C unless otherwise noted)

Rating	Symbol	Value	Unit
Collector-Base Voltage	V _{CBO}	50	Vdc
Collector-Emitter Voltage	V _{CEO}	50	Vdc
Collector Current	Ι _C	100	mAdc

THERMAL CHARACTERISTICS

Characteristic	Symbol	Max	Unit
Total Device Dissipation $T_A = 25^{\circ}C$ Derate above 25°C	PD	230 (Note 1) 338 (Note 2) 1.8 (Note 1) 2.7 (Note 2)	mW °C/W
Thermal Resistance – Junction-to-Ambient	$R_{\theta J A}$	540 (Note 1) 370 (Note 2)	°C/W
Thermal Resistance – Junction-to-Lead	$R_{ extsf{ heta}JL}$	264 (Note 1) 287 (Note 2)	°C/W
Junction and Storage Temperature Range	T _J , T _{stg}	-55 to +150	°C


1. FR-4 @ Minimum Pad

2. FR-4 @ 1.0 x 1.0 inch Pad




ON Semiconductor[®]

http://onsemi.com





MARKING DIAGRAM



ORDERING INFORMATION

See detailed ordering and shipping information on page 2 of this data sheet.

DEVICE MARKING INFORMATION

*See device marking table on page 2 of this data sheet.

Preferred devices are recommended choices for future use and best overall value.

DEVICE MARKING AND RESISTOR VALUES

Device	Package	Marking	R1 (K)	R2 (K)	Shipping
MUN2111T1	SC59	6A	10	10	3000/Tape & Reel
MUN2112T1	SC59	6B	22	22	3000/Tape & Reel
MUN2113T1	SC–59	6C	47	47	3000/Tape & Reel
MUN2114T1	SC–59	6D	10	47	3000/Tape & Reel
MUN2115T1 (Note 3)	SC–59	6E	10	∞	3000/Tape & Reel
MUN2116T1 (Note 3)	SC–59	6F	4.7	∞	3000/Tape & Reel
MUN2130T1 (Note 3)	SC–59	6G	1.0	1.0	3000/Tape & Reel
MUN2131T1 (Note 3)	SC–59	6H	2.2	2.2	3000/Tape & Reel
MUN2132T1 (Note 3)	SC–59	6J	4.7	4.7	3000/Tape & Reel
MUN2133T1 (Note 3)	SC–59	6K	4.7	47	3000/Tape & Reel
MUN2134T1 (Note 3)	SC59	6L	22	47	3000/Tape & Reel
MUN2136T1	SC–59	6N	100	100	3000/Tape & Reel
MUN2137T1	SC–59	6P	47	22	3000/Tape & Reel
MUN2140T1 (Note 3)	SC-59	6T	47	~	3000/Tape & Reel

ELECTRICAL CHARACTERISTICS ($T_A = 25^{\circ}C$ unless otherwise noted)

Characterist	Symbol	Min	Тур	Max	Unit			
OFF CHARACTERISTICS								
Collector-Base Cutoff Current (V _{CB} =	50 V, I _E = 0)	I _{CBO}	-	-	100	nAdc		
Collector-Emitter Cutoff Current (V _{CE}	= 50 V, I _B = 0)	I _{CEO}	-	-	500	nAdc		
Emitter–Base Cutoff Current (V _{EB} = 6.0 V, I _C = 0)	MUN2111T1 MUN2112T1 MUN2113T1 MUN2114T1 MUN2115T1 MUN2130T1 MUN2130T1 MUN2132T1 MUN2133T1 MUN2134T1 MUN2136T1 MUN2137T1 MUN2140T1	IEBO	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -	0.5 0.2 0.1 0.9 1.9 4.3 2.3 1.5 0.18 0.13 0.05 0.13 0.20	mAdc		
Collector–Base Breakdown Voltage (V _{(BR)CBO}	50	-	-	Vdc			
Collector–Emitter Breakdown Voltage $(I_C = 2.0 \text{ mA}, I_B = 0)$	(Note 4)	V _{(BR)CEO}	50	_	_	Vdc		

New resistor combinations. Updated curves to follow in subsequent data sheets.
Pulse Test: Pulse Width < 300 μs, Duty Cycle < 2.0%

ELECTRICAL CHARACTERISTICS ($T_A = 25^{\circ}C$ unless otherwise noted) (Continued)


Characteristic	Symbol	Min	Тур	Max	Unit			
ON CHARACTERISTICS (Note 5)								
DC Current Gain	MUN2111T1	h _{FE}	35	60	_			
(V _{CE} = 10 V, I _C = 5.0 mA)	MUN2112T1		60	100	-			
	MUN2113T1		80	140	_			
	MUN2114T1		80	140	_			
	MUN2115T1		160	250	-			
	MUN2116T1		160	250	-			
	MUN2130T1		3.0	5.0	-			
	MUN2131T1		8.0	15	-			
	MUN2132T1		15	27	-			
	MUN2133T1		80	140	-			
	MUN2134T1		80	130	-			
	MUN2136T1		80	150	-			
	MUN2137T1		80	140	-			
	MUN2140T1		120	250	-			
Collector–Emitter Saturation Voltage		V _{CE(sat)}				Vdc		
$(I_{C} = 10 \text{ mA}, I_{B} = 0.3 \text{ mA})$	MUN2111T1	. ,	-	_	0.25			
	MUN2112T1		-	-	0.25			
	MUN2113T1		-	-	0.25			
	MUN2114T1		-	-	0.25			
	MUN2115T1		-	-	0.25			
	MUN2130T1		-	-	0.25			
	MUN2136T1		-	-	0.25			
	MUN2137T1		-	-	0.25			
$(I_{C} = 10 \text{ mA}, I_{B} = 5.0 \text{ mA})$	MUN2131T1		-	-	0.25			
(I _C = 10 mA, I _B = 1.0 mA)	MUN2116T1		-	-	0.25			
	MUN2132T1		-	-	0.25			
	MUN2134T1		-	-	0.25			
	MUN2140T1		_	_	0.25			
Output Voltage (on)		V _{OL}				Vdc		
(V _{CC} = 5.0 V, V _B = 2.5 V, R _L = 1.0 k Ω)	MUN2111T1		-	-	0.2			
	MUN2112T1		-	-	0.2			
	MUN2114T1		-	-	0.2			
	MUN2115T1		-	-	0.2			
	MUN2116T1		-	-	0.2			
	MUN2130T1		_	-	0.2			
	MUN2131T1		_	-	0.2			
	MUN2132T1 MUN2133T1		_	-	0.2 0.2			
	MUN2134T1 MUN2134T1		-	_	0.2			
$(V_{CC} = 5.0 \text{ V}, \text{ V}_{B} = 3.5 \text{ V}, \text{ R}_{L} = 1.0 \text{ k}\Omega)$	MUN2113T1		_	_	0.2			
$(V_{CC} = 0.0 \text{ V}, V_{B} = 0.0 \text{ V}, V_{L} = 1.0 \text{ K}_{22}$	MUN2140T1		_	_	0.2			
$(V_{CC} = 5.0 \text{ V}, \text{ V}_{B} = 5.5 \text{ V}, \text{ R}_{L} = 1.0 \text{ k}\Omega)$	MUN2136T1		_	_	0.2			
$(V_{CC} = 5.0 \text{ V}, V_B = 4.0 \text{ V}, R_L = 1.0 \text{ k}\Omega)$ $(V_{CC} = 5.0 \text{ V}, V_B = 4.0 \text{ V}, R_L = 1.0 \text{ k}\Omega)$	MUN2137T1		_	_	0.2			
$(V_{CC} = 0.0 \text{ V}, V_{B} = 4.0 \text{ V}, N_{L} = 1.0 \text{ M}$					0.2	l		


5. Pulse Test: Pulse Width < 300 μ s, Duty Cycle < 2.0%

ELECTRICAL CHARACTERISTICS ($T_A = 25^{\circ}C$ unless otherwise noted) (Continued)

	Characteristic	Symbol	Min	Тур	Max	Unit
ON CHARACTE	RISTICS (Note 6) (Continued)					
(V _{CC} = 5.0 V, V _E	$ f) (V_{CC} = 5.0 \text{ V}, V_B = 0.5 \text{ V}, R_L = 1.0 \Omega) \\ _3 = 0.050 \text{ V}, R_L = 1.0 \Omega) \qquad \qquad$	V _{OH}	4.9	-	-	Vdc
Input Resistor	MUN2111T1 MUN2112T1 MUN2113T1 MUN2114T1 MUN2115T1 MUN2130T1 MUN2130T1 MUN2132T1 MUN2133T1 MUN2134T1 MUN2136T1 MUN2137T1 MUN2140T1	R1	7.0 15.4 32.9 7.0 7.0 3.3 0.7 1.5 3.3 3.3 15.4 70 32.9 32.9	10 22 47 10 10 4.7 1.0 2.2 4.7 4.7 22 100 47 47	13 28.6 61.1 13 6.1 1.3 2.9 6.1 6.1 28.6 130 61.1 61.1	kΩ
Resistor Ratio	MUN2111T1/MUN2112T1/MUN2113T1/ MUN2136T1 MUN2114T1 MUN2115T1/MUN2116T1/MUN2140T1 MUN2130T1/MUN2131T1/MUN2132T1 MUN2133T1 MUN2134T1 MUN2137T1	R ₁ /R ₂	0.8 0.17 - 0.8 0.055 0.38 1.7	1.0 0.21 - 1.0 0.1 0.47 2.1	1.2 0.25 - 1.2 0.185 0.56 2.6	

6. Pulse Test: Pulse Width < 300 μs, Duty Cycle < 2.0%







TYPICAL ELECTRICAL CHARACTERISTICS – MUN2111T1





Figure 7. Input Voltage vs. Output Current

TYPICAL ELECTRICAL CHARACTERISTICS – MUN2112T1






Figure 12. Input Voltage vs. Output Current

TYPICAL ELECTRICAL CHARACTERISTICS – MUN2113T1




Figure 17. Input Voltage vs. Output Current

TYPICAL ELECTRICAL CHARACTERISTICS – MUN2114T1




Figure 22. Input Voltage vs. Output Current

TYPICAL ELECTRICAL CHARACTERISTICS – MUN2131T1






Figure 26. Output Current vs. Input Voltage




Figure 27. Input Voltage vs. Output Current

TYPICAL ELECTRICAL CHARACTERISTICS — MUN2136T1




Figure 28. Maximum Collector Voltage versus Collector Current






Figure 30. Output Capacitance




Figure 31. Output Current versus Input Voltage




Figure 32. Input Voltage versus Output Current

TYPICAL ELECTRICAL CHARACTERISTICS — MUN2137T1




Figure 35. Output Capacitance

Figure 36. Output Current versus Input Voltage





Figure 37. Input Voltage versus Output Current

INFORMATION FOR USING THE SC-59 SURFACE MOUNT PACKAGE

MINIMUM RECOMMENDED FOOTPRINT FOR SURFACE MOUNTED APPLICATIONS

Surface mount board layout is a critical portion of the total design. The footprint for the semiconductor packages must be the correct size to insure proper solder connection interface between the board and the package. With the correct pad geometry, the packages will self align when subjected to a solder reflow process.



SC–59 POWER DISSIPATION

The power dissipation of the SC–59 is a function of the pad size. This can vary from the minimum pad size for soldering to the pad size given for maximum power dissipation. Power dissipation for a surface mount device is determined by $T_{J(max)}$, the maximum rated junction temperature of the die, $R\theta_{JA}$, the thermal resistance from the device junction to ambient; and the operating temperature, T_A . Using the values provided on the data sheet, P_D can be calculated as follows.

$$P_{D} = \frac{T_{J(max)} - T_{A}}{R_{\theta JA}}$$

The values for the equation are found in the maximum ratings table on the data sheet. Substituting these values into

the equation for an ambient temperature T_A of 25°C, one can calculate the power dissipation of the device which in this case is 338 milliwatts.

$$P_{D} = \frac{150^{\circ}C - 25^{\circ}C}{370^{\circ}C/W} = 338 \text{ milliwatts}$$

The 370°C/W assumes the use of the recommended footprint on a glass epoxy printed circuit board to achieve a power dissipation of 338 milliwatts. Another alternative would be to use a ceramic substrate or an aluminum core board such as Thermal Clad[™]. Using a board material such as Thermal Clad, the power dissipation can be doubled using the same footprint.

SOLDERING PRECAUTIONS

The melting temperature of solder is higher than the rated temperature of the device. When the entire device is heated to a high temperature, failure to complete soldering within a short time could result in device failure. Therefore, the following items should always be observed in order to minimize the thermal stress to which the devices are subjected.

- Always preheat the device.
- The delta temperature between the preheat and soldering should be 100°C or less.*
- When preheating and soldering, the temperature of the leads and the case must not exceed the maximum temperature ratings as shown on the data sheet. When using infrared heating with the reflow soldering method, the difference should be a maximum of 10°C.

- The soldering temperature and time should not exceed 260°C for more than 10 seconds.
- When shifting from preheating to soldering, the maximum temperature gradient should be 5°C or less.
- After soldering has been completed, the device should be allowed to cool naturally for at least three minutes. Gradual cooling should be used as the use of forced cooling will increase the temperature gradient and result in latent failure due to mechanical stress.
- Mechanical stress or shock should not be applied during cooling

* Soldering a device without preheating can cause excessive thermal shock and stress which can result in damage to the device.

SOLDER STENCIL GUIDELINES

Prior to placing surface mount components onto a printed circuit board, solder paste must be applied to the pads. A solder stencil is required to screen the optimum amount of solder paste onto the footprint. The stencil is made of brass or stainless steel with a typical thickness of 0.008 inches. The stencil opening size for the surface mounted package should be the same as the pad size on the printed circuit board, i.e., a 1:1 registration.

TYPICAL SOLDER HEATING PROFILE

For any given circuit board, there will be a group of control settings that will give the desired heat pattern. The operator must set temperatures for several heating zones, and a figure for belt speed. Taken together, these control settings make up a heating "profile" for that particular circuit board. On machines controlled by a computer, the computer remembers these profiles from one operating session to the next. Figure 7 shows a typical heating profile for use when soldering a surface mount device to a printed circuit board. This profile will vary among soldering systems but it is a good starting point. Factors that can affect the profile include the type of soldering system in use, density and types of components on the board, type of solder used, and the type of board or substrate material being used. This profile shows temperature versus time. The line on the graph shows the actual temperature that might be experienced on the surface of a test board at or near a central solder joint. The two profiles are based on a high density and a low density board. The Vitronics SMD310 convection/infrared reflow soldering system was used to generate this profile. The type of solder used was 62/36/2 Tin Lead Silver with a melting point between 177–189°C. When this type of furnace is used for solder reflow work, the circuit boards and solder joints tend to heat first. The components on the board are then heated by conduction. The circuit board, because it has a large surface area, absorbs the thermal energy more efficiently, then distributes this energy to the component may be up to 30 degrees cooler than the adjacent solder joints.





Figure 38. Typical Solder Heating Profile

PACKAGE DIMENSIONS

SC-59 CASE 318D-04 ISSUE F



NOTES: 1. DIMENSIONING AND TOLERANCING PER ANSI Y14.5M, 1982. 2. CONTROLLING DIMENSION: MILLIMETER.								
		MILLIN	IETERS	INC	HES			
	DIM	MIN	MAX	MIN	MAX			
	Α	2.70	3.10	0.1063	0.1220			
	В	1.30	1.70	0.0512	0.0669			
	C	1.00	1.30	0.0394	0.0511			
	D	0.35	0.50	0.0138	0.0196			
	G	1.70	2.10	0.0670	0.0826			
	Н	0.013	0.100	0.0005	0.0040			
	J	0.09	0.18	0.0034	0.0070			
	K	0.20	0.60	0.0079	0.0236			
	L	1.25	1.65	0.0493	0.0649			
	S	2.50	3.00	0.0985	0.1181			

STYLE 1: PIN 1. EMITTER 2. BASE 3. COLLECTOR

<u>Notes</u>

Thermal Clad is a trademark of the Bergquist Company.

ON Semiconductor and without further notice to any products herein. SCILLC makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does SCILLC assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. "Typical" parameters which may be provided in SCILLC data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. SCILLC does not convey any license under its patent rights on the rights of others. SCILLC products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the SCILLC product could create a situation where personal injury or death may occur. Should Buyer purchase or use SCILLC products for any such unintended or unauthorized application, Buyer shall indemnify and hold SCILLC and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that SCILLC was negligent regarding the design or manufacture of the part. SCILLC is an Equal Opportunity/Affirmative Action Employer.

PUBLICATION ORDERING INFORMATION

Literature Fulfillment:

Literature Distribution Center for ON Semiconductor P.O. Box 5163, Denver, Colorado 80217 USA Phone: 303–675–2175 or 800–344–3860 Toll Free USA/Canada Fax: 303–675–2176 or 800–344–3867 Toll Free USA/Canada Email: ONlit@hibbertco.com

N. American Technical Support: 800-282-9855 Toll Free USA/Canada

JAPAN: ON Semiconductor, Japan Customer Focus Center 4–32–1 Nishi–Gotanda, Shinagawa–ku, Tokyo, Japan 141–0031 Phone: 81–3–5740–2700 Email: r14525@onsemi.com

ON Semiconductor Website: http://onsemi.com

For additional information, please contact your local Sales Representative.