

阅读申明

- 1.本站收集的数据手册和产品资料都来自互联网，版权归原作者所有。如读者和版权方有任何异议请及时告之，我们将妥善解决。
- 2.本站提供的中文数据手册是英文数据手册的中文翻译，其目的是协助用户阅读，该译文无法自动跟随原稿更新，同时也可能存在翻译上的不当。建议读者以英文原稿为参考以便获得更精准的信息。
- 3.本站提供的产品资料，来自厂商的技术支持或者使用者的心得体会等，其内容可能存在描述上的差异，建议读者做出适当判断。
- 4.如需与我们联系，请发邮件到marketing@iczoom.com，主题请标有“数据手册”字样。

Read Statement


1. The datasheets and other product information on the site are all from network reference or other public materials, and the copyright belongs to the original author and original published source. If readers and copyright owners have any objections, please contact us and we will deal with it in a timely manner.
2. The Chinese datasheets provided on the website is a Chinese translation of the English datasheets. Its purpose is for reader's learning exchange only and do not involve commercial purposes. The translation cannot be automatically updated with the original manuscript, and there may also be improper translations. Readers are advised to use the English manuscript as a reference for more accurate information.
3. All product information provided on the website refer to solutions from manufacturers' technical support or users the contents may have differences in description, and readers are advised to take the original article as the standard.
4. If you have any questions, please contact us at marketing@iczoom.com and mark the subject with "Datasheets" .

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: **501193-2000**
Status: **Active**
Overview: Pico-Clasp™
Description: 1.00mm Pitch Pico-Clasp™ Wire-to-Board Crimp Terminal, 28-32 AWG, Lead-free, Gold Plating

Documents:

Drawing (PDF)	Product Specification PS-501190-004 (PDF)
Product Specification PS-501190-001 (PDF)	Product Specification PS-501571-001 (PDF)
Product Specification PS-501190-003 (PDF)	RoHS Certificate of Compliance (PDF)



General

Product Family	Crimp Terminals
Series	501193
Application	Signal
Crimp Quality Equipment	Yes
Overview	<u>Pico-Clasp™</u>
Product Name	Pico-Clasp™
UPC	800756811369


Physical

Gender	Receptacle
Material - Metal	Phosphor Bronze
Material - Plating Mating	Gold
Net Weight	8.600/mg
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	0.80mm max.
Wire Size AWG	28, 30, 32
Wire Size mm²	N/A

Material Info

Reference - Drawing Numbers

Product Specification	PS-501190-001, PS-501190-003, PS-501190-004, PS-501571-001, RPS-501190-008, RPS-501190-010, RPS-501190-011, RPS-501331-001, RPS-501571-007, RPS-501571-008, RPS-501571-009
Sales Drawing	SD-501193-002, SD-501193-003

EU RoHS ELV and RoHS Compliant REACH SVHC Contains SVHC: No Low-Halogen Status Low-Halogen	China RoHS 
---	--

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

501193Series

Use With

501189 Crimp Housing

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description	Product #
T2 Terminator Die for 1.00mm Pitch Wire-to-Board Crimp Terminal	0639119400
FineAdjust™ Applicator for 1.00mm Pitch Wire-to-Board Crimp Terminal	0639019400
Hand Crimp Tool for 1.00mm Wire-	0638191500

to-Board Crimp
Terminal, 28-32
AWG Wire

Japan

Description	Product #
--------------------	------------------

Applicator for M211A	5780163000
----------------------	------------

Bench Press, 28-32

AWG Wire

Hand Extraction Tool	5780166000
----------------------	------------

This document was generated on 10/19/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[501193-2000](#) [501193-2000 \(Mouser Reel\)](#) [501193-2000 \(Cut Strip\)](#)