

阅读申明

- 1.本站收集的数据手册和产品资料都来自互联网，版权归原作者所有。如读者和版权方有任何异议请及时告之，我们将妥善解决。
- 2.本站提供的中文数据手册是英文数据手册的中文翻译，其目的是协助用户阅读，该译文无法自动跟随原稿更新，同时也可能存在翻译上的不当。建议读者以英文原稿为参考以便获得更精准的信息。
- 3.本站提供的产品资料，来自厂商的技术支持或者使用者的心得体会等，其内容可能存在描述上的差异，建议读者做出适当判断。
- 4.如需与我们联系，请发邮件到marketing@iczoom.com，主题请标有“数据手册”字样。

Read Statement

1. The datasheets and other product information on the site are all from network reference or other public materials, and the copyright belongs to the original author and original published source. If readers and copyright owners have any objections, please contact us and we will deal with it in a timely manner.
2. The Chinese datasheets provided on the website is a Chinese translation of the English datasheets. Its purpose is for reader's learning exchange only and do not involve commercial purposes. The translation cannot be automatically updated with the original manuscript, and there may also be improper translations. Readers are advised to use the English manuscript as a reference for more accurate information.
3. All product information provided on the website refer to solutions from manufacturers' technical support or users the contents may have differences in description, and readers are advised to take the original article as the standard.
4. If you have any questions, please contact us at marketing@iczoom.com and mark the subject with "Datasheets" .

Samurai

ADM6996M/I/LC/FC and ADM6995LCL2
Ethernet Switch Controllers



Samurai is a high performance, low cost, integrated (Controller, PHY and Memory) six-port Ethernet switch controller with all ports supporting 10/100 Mb/s Full/Half duplex operation.

Advanced features such as Layer 4 QoS, 802.1p(QoS.), 802.1q(VLAN), bandwidth control and switch management functions make the Samurai one of the most innovative and economical low-port switches available in the market.

Some of the Samurai's benefits include low temperature and a small footprint for complete design flexibility, advanced network monitoring functions using the Port Mirror feature, Hardware and Software IGMP for VOD and excellent L4 Quality of Service (QoS) performance for Multimedia applications.

The Samurai was designed using a New Design Application (NDA) making it one of the most economical solutions available. With five different packaging options: Samurai 6M, 6I, 6LC, 6FC & 5LC and pin compatibility with the legacy ADM6996/5L/F series, the Samurai offers smooth migration as well as new design flexibility for Infineon's system vendors.

Applications

- ADSL Routers
- Wireless/Wired Routers
- Home Gateways
- Cable Modems
- Web DVDs

Product Features

- 10/100 Mbps MDIX TX/FX transceivers with five/six-port 10/100M Ethernet L2 switch controller
- Hardware and Software IGMP, MAC Table Access and Port Mirror functions
- L4 Ethernet Q.O.S.; Security Functions: 802.1x, MAC Address and "Accept/Reject" address control
- dScalable Ingress/Egress Bandwidth Control- 64K~100M with 64K/Scale.
- Port Mirror, Spanning Tree, Special Tag
- PPPoE Identification- Receive PPPoE packet only
- 16 VLANs. Learn 12 Bits VLAN ID.
- Supports MDC/MDIO applications
- 128-pin LQFP package
- New features only available in the ADM6996M/I packages:
 - IPv4/v6 DiffServ priority
 - TAG PRI Replacement- IGMP snooping
 - Spanning Tree
 - 802.1x, Port Mirroring and special Tag
 - PPPoE and SNAP/ARP/RARP
- New features unavailable in the ADM6996L/F and ADM6995L legacy products:
 - 2K, 4-layer hashing, accessible address table
 - TCP/UDP destination port MAC Address DA priorities
 - Maximum packet length support: 1784bytes
 - RMII MAC interface
 - Low power (1.0W)
 - Advanced filter support such as TCP/UDP Destination Port, IP Protocol ID and Ethernet Type
 - Multicast Broadcast Storm protection
 - 16 and 32bit SDC/SDIOADSL Routers


www.infineon.com/cpe

Communications Solutions



Never stop thinking


Samurai Block Diagram



Samurai Product Summary

Product	Sales Code	Description	Package
Samurai	ADM6996LC/FC/I/M & ADM6995LC	L2 Ethernet Switch Controller	128-LQFP

Samurai Application Example



How to reach us:

<http://www.infineon.com>

Published by
Infineon Technologies AG
St.-Martin-Strasse 53
81669 München

© Infineon Technologies AG 2007.
All Rights Reserved.

Template: pb_w_tmplt.fm/3

Attention please!

The information herein is given to describe certain components and shall not be considered as a guarantee of characteristics. Terms of delivery and rights to technical change reserved.

We hereby disclaim any and all warranties, including but not limited to warranties of non-infringement, regarding circuits, descriptions and charts stated herein.

Information

For further information on technology, delivery terms and conditions and prices please contact your nearest Infineon Technologies Office.

Warnings

Due to technical requirements components may contain dangerous substances. For information on the types in question please contact your nearest Infineon Technologies Office.

Infineon Technologies Components may only be used in life-support devices or systems with the express written approval of Infineon Technologies, if a failure of such components can reasonably be expected to cause the failure of that life-support device or system, or to affect the safety or effectiveness of that device or system. Life support devices or systems are intended to be implanted in the human body, or to support and/or maintain and sustain and/or protect human life. If they fail, it is reasonable to assume that the health of the user or other persons may be endangered.

Ordering No. B000-H0000-X-X-7600
Printed in Germany
PS 10053.