

阅读申明

- 1.本站收集的数据手册和产品资料都来自互联网，版权归原作者所有。如读者和版权方有任何异议请及时告之，我们将妥善解决。
- 2.本站提供的中文数据手册是英文数据手册的中文翻译，其目的是协助用户阅读，该译文无法自动跟随原稿更新，同时也可能存在翻译上的不当。建议读者以英文原稿为参考以便获得更精准的信息。
- 3.本站提供的产品资料，来自厂商的技术支持或者使用者的心得体会等，其内容可能存在描述上的差异，建议读者做出适当判断。
- 4.如需与我们联系，请发邮件到marketing@iczoom.com，主题请标有“数据手册”字样。

Read Statement

1. The datasheets and other product information on the site are all from network reference or other public materials, and the copyright belongs to the original author and original published source. If readers and copyright owners have any objections, please contact us and we will deal with it in a timely manner.
2. The Chinese datasheets provided on the website is a Chinese translation of the English datasheets. Its purpose is for reader's learning exchange only and do not involve commercial purposes. The translation cannot be automatically updated with the original manuscript, and there may also be improper translations. Readers are advised to use the English manuscript as a reference for more accurate information.
3. All product information provided on the website refer to solutions from manufacturers' technical support or users the contents may have differences in description, and readers are advised to take the original article as the standard.
4. If you have any questions, please contact us at marketing@iczoom.com and mark the subject with "Datasheets" .

NPB 560B


Switchcraft® EH Series Audio/Video/Data

1. Choose any combination of EH Series connectors.
2. Choose a blank Q-G® Series panel.
3. Populate EH Series connectors into Q-G® Series panel to create custom I/O solution for all of your audio, video, and data connections.

The EH Series by Switchcraft® is a complete line of audio, video, and data connectors built into standard panel-mount XLR housings. Custom combinations of EH Series connectors can be quickly loaded into any of our Q-G® Series panels. Once mounted, connecting your equipment to the back of an EH Series connector is fast and easy. Most connectors are feedthru, which means standard cabling is simply plugged into the back of your gear, then plugged into the back of the EH Series connector. For those EH Series connectors that are not feedthru, solder lugs are clearly marked for simple, secure solder connections. All EH Series connectors are available individually bagged with mounting screws.

Q-G® Series panels come standard as 1RU (1x16), 1.5RU (1x16), or 2RU (2x16). 1RU and 1.5RU versions allow for any combination of up to 16 EH Series connectors to be loaded into the panel. The 2RU version can accommodate up to 32 EH Series connectors. Every Q-G® Series panel includes quick change designation strips for easy connector identification.

Switchcraft's EH Series is the fastest and most versatile way to create a custom panel or wall plate perfectly suited to meet the needs of any studio, broadcast facility, or systems integrator. Customize your studio, make it easy to access your I/O's, and increase the lifespan of expensive pieces of equipment using EH Series connectors and Q-G® Series Panels from Switchcraft®.



Switchcraft®
www.switchcraft.com
5555 N. Elston Avenue/Chicago, IL 60630
Phone: 773-792-2700 Fax: 773-792-2129



E3MSCB



E3FSC



E4MSC



E4FSC



E5MSCB



E5FSC



E112BL



EH35MMMSC



EHUSBBAB



EHUSBAB



EHFWX2B



EHFW800X2



EH6MD2



EHSVHS2B



EHRCA2



EHDB9MF



EHDB9FFB



EHHD15MF



EHHD15FFB



EHFFB



EHBNC2B



EHL2



EHL2M



EHSC2



EHSC2M



EHST2



EHST2MB



EHTL2



ECPPKG



ECP2PKG



ECP4PKG



ECP8PKG

Connector Options

EH Series	Termination	1 Housing	2 Connector	3 B = Black Blank = Nickel	4 Bagged with Mounting Screws
3.5MM (1/8") Mono	Solder	EH	35MMMSC	B	PKG
3.5MM (1/8") Stereo	Solder	EH	35MMSSC	B	PKG
SVHS (S-Video)	Feedthru	EH	SVHS2	B	PKG
PS/2	Feedthru	EH	6MD2	B	PKG
Firewire 400 (IEEE1394) Straight-Wired	Feedthru	EH	FW2	B	PKG
Firewire 400 (IEEE1394) Cross-Wired	Feedthru	EH	FWX2	B	PKG
Firewire 800 (IEEE1394B) Straight-Wired	Feedthru	EH	FW8002	B	PKG
Firewire 800 (IEEE1394B) Cross-Wired	Feedthru	EH	FW800X2	B	PKG
RCA	Feedthru	EH	RCA2	B	PKG
BNC	Feedthru	EH	BNC2	B	PKG
BNC (Recessed Front)	Feedthru	EH	BNC2R	B	PKG
BNC	Solder	EH	BNCSC	B	PKG
BNC to RCA	Feedthru	EH	BNCRCA	B	PKG
RCA to BNC	Feedthru	EH	RCABNC	B	PKG
USB A to B	Feedthru	EH	USBAB	B	PKG
USB B to A	Feedthru	EH	USBBA	B	PKG
9-Pin DSUB Male to Male	Feedthru	EH	DB9MM	B	PKG
9-Pin DSUB Male to Female	Feedthru	EH	DB9MF	B	PKG
9-Pin DSUB Female to Female	Feedthru	EH	DB9FF	B	PKG
15-Pin HD DSUB Male to Male	Feedthru	EH	HD15MM	B	PKG
15-Pin HD DSUB Male to Female	Feedthru	EH	HD15MF	B	PKG
15-Pin HD DSUB Female to Female	Feedthru	EH	HD15FF	B	PKG
F to F (Coaxial)	Feedthru	EH	FF	B	PKG
LC Fiber Optic (singlemode)	Feedthru	EH	LC2	(Black Only)	PKG
LC Fiber Optic (multimode)	Feedthru	EH	LC2M	(Black Only)	PKG
SC Fiber Optic (singlemode)	Feedthru	EH	SC2	(Black Only)	PKG
SC Fiber Optic (multimode)	Feedthru	EH	SC2M	(Black Only)	PKG
ST Fiber Optic (singlemode)	Feedthru	EH	ST2	B	PKG
ST Fiber Optic (multimode)	Feedthru	EH	ST2M	B	PKG
TOSLINK	Feedthru	EH	TL2	(Black Only)	PKG

E Series (XLR)	Pins	Gender	Fas-Disconnect Option	Termination Style	Finish	Mounting Hole Options	Bagged with Mounting Screws
E	3,4,5	M, F	D=Fas-Disconnect Blank=Standard Locking	ST=Straight PC Terminals RA=Right Angle PC Terminals SC=Solder Cups Blank=Conical Springs (3-Pin)	B=Black Blank=Nickel	M3=M3x0.5 Thread 440=#4-40 Thread Blank=Counter-Sunk Hole	PKG

Connector Type	Part Number (Nickel Finish)	Part Number (Black Finish)	Bagged with Mounting Screws	Blank Hole Covers	
				Blank Hole Covers	Part Number
1/4" Mono Locking Jack	E111L	E111BL	PKG	1 Space	ECPKPG
1/4" Stereo Locking Jack	E112BL	E112BLB	PKG	2 Space	ECP2PKG
				4 Space	ECP4PKG
				8 Space	ECP8PKG

*Sample EH Series Part Number: EHBNC2BPKG (BNC Feedthru, Black Housing, Bagged with 4-40 Mounting Screws)

*Sample E Series Part Number: E3FSCPkg (3-Pin XLR Female, Solder Cups, Bagged with 4-40 Mounting Screws)

*Male to female 9-Pin and 15-Pin DSUBS are user reversible to create female to male connectors.

*All Blank Hole Covers come bagged with 4-40 mounting screws.

*All EH Series Fiber Optic Connectors come with dust caps.

Q-G® Panel Options



-QGPK1B440

Empty Q-G® Rack Panels	Rack Height	Number of Knockouts	Tapped 4-40 Holes
QGPK1B	1RU	1 X 16	NO
QGPK1B440	1RU	1 x 16	YES
QGPK2B	1.5RU	1 X 16	NO
QGPK2B440	1.5RU	1 X 16	YES
QGPK3B	2RU	2 X 16	NO
QGPK3B440	2RU	2 X 16	YES



-QGPK332MFB

Pre-Loaded XLR Panels	Height	Description
QGPK116FB	1RU	16 Female
QGPK116MB	1RU	16 Male
QGPK18M8FB	1RU	8 Male, 8 Female
QGPK332MFB	2RU	16 Female, 16 Male