## 阅读申明

- 1.本站收集的数据手册和产品资料都来自互联网,版权归原作者所有。如读者和版权方有任何异议请及时告之,我们将妥善解决。
- 2.本站提供的中文数据手册是英文数据手册的中文翻译,其目的是协助用户阅读,该译文无法自动跟随原稿更新,同时也可能存在翻译上的不当。建议读者以英文原稿为参考以便获得更精准的信息。
- 3.本站提供的产品资料,来自厂商的技术支持或者使用者的心得体会等,其内容可能存在描 叙上的差异,建议读者做出适当判断。
- 4.如需与我们联系,请发邮件到marketing@iczoom.com,主题请标有"数据手册"字样。

## **Read Statement**

- 1. The datasheets and other product information on the site are all from network reference or other public materials, and the copyright belongs to the original author and original published source. If readers and copyright owners have any objections, please contact us and we will deal with it in a timely manner.
- 2. The Chinese datasheets provided on the website is a Chinese translation of the English datasheets. Its purpose is for reader's learning exchange only and do not involve commercial purposes. The translation cannot be automatically updated with the original manuscript, and there may also be improper translations. Readers are advised to use the English manuscript as a reference for more accurate information.
- 3. All product information provided on the website refer to solutions from manufacturers' technical support or users the contents may have differences in description, and readers are advised to take the original article as the standard.
- 4. If you have any questions, please contact us at marketing@iczoom.com and mark the subject with "Datasheets".

io		COL		900	2	Jn (	4 UF 2	- C		-(1	A4	.xx±1*	.xx±0.25.
)CO.,LTD	(ShenZhen	Shouh Min Industry (ShenZhen)CO.,LTD	SS)	(10)	2	APPROVED	0 00 0	THEFT		•	SIZE	.x*± 2*	.X±0.38
mon	UNIT	05/17/2006	DATE	がたらる	越	CHECKED	CF Conn34	TILE	A		REV.	x *± 5 *	G X.±0.50
NO SCALE	SCALE		MATERIAL	LOP	7	DRAWN	101-00205-**	PART.NO.	101-00205	101	FILE.NO.	TOLERANCE	GENERAL T
					-		Ä						
		17	GROLIND		GND	50			GROUND	О	-CD2	25	
			11Z,0Z3	1/0	0101	49			013	0	WP	24	
	4		112,023	/o	0091	48			112,023	1/0	D02	23	
	117		117,023	1/0	D081	47			112,023	1/0	D01	22	
-	2. 1.44	1000	ווט,טוו	1/0	BVD1	46			112,023	1/0	D00	21	
	医侧	TOT I	110,011	1/0	BVD2 I	45			1172	5 <del>5</del> 5	A00	20	
		1	130	5	-REG	44	b.		пZ	-	A01	19	
			110		-INPACK 0	43			пZ	-	A02	100	
			011	0	-WAIT 0	42			117	==	A03	7	
			122		RESET	4.1			187	S=	A04	10	
			OPEN		-VS2 0	40			ПZ	=	A05	15	
			122		-CSEL I	39			ITZ	=	A06	14	
			POWER		vcc	38			POWER		VCC	13	
			011		RDY/BSY o	37			117	1=	A07	12	
			130		- WE	36			ITZ	7	ADB	11	
			l3U		-IOWR I	33			172		A09	10	
	F		I3U		-JORD 1	54			130		-0E	w	
			GROUND		-VS1 0	33			IIZ	=	A10	CO	
			130		-CEZ	32			130	=	-CE1	7	
	T.		117,073	1/0	D15' (	31			112,023	1/0	D07	.00	
			112,023	1/0	D141 6	30			112,023	1/0	D06	(Ln	
			11Z,0Z3	1/0	D13* 1	29			112,023	1/0	Dos	4	

REV. ECN.NO.
A ES.00605.035

PIN#

NAME

1/0

PIN#

NAME

1/0

-CD1

GND D03 D04

(64) 60

10 70

112,023 11Z,0Z3 GROUND PIN FUNCTION

28 27 26

0121 D111

1/0

112,023 112,023 GROUND PIN FUNCTION

70 0

MODIFY CONTENT

06/17/20E

