

阅读申明


- 1.本站收集的数据手册和产品资料都来自互联网，版权归原作者所有。如读者和版权方有任何异议请及时告之，我们将妥善解决。
- 2.本站提供的中文数据手册是英文数据手册的中文翻译，其目的是协助用户阅读，该译文无法自动跟随原稿更新，同时也可能存在翻译上的不当。建议读者以英文原稿为参考以便获得更精准的信息。
- 3.本站提供的产品资料，来自厂商的技术支持或者使用者的心得体会等，其内容可能存在描述上的差异，建议读者做出适当判断。
- 4.如需与我们联系，请发邮件到marketing@iczoom.com，主题请标有“数据手册”字样。

Read Statement

1. The datasheets and other product information on the site are all from network reference or other public materials, and the copyright belongs to the original author and original published source. If readers and copyright owners have any objections, please contact us and we will deal with it in a timely manner.
2. The Chinese datasheets provided on the website is a Chinese translation of the English datasheets. Its purpose is for reader's learning exchange only and do not involve commercial purposes. The translation cannot be automatically updated with the original manuscript, and there may also be improper translations. Readers are advised to use the English manuscript as a reference for more accurate information.
3. All product information provided on the website refer to solutions from manufacturers' technical support or users the contents may have differences in description, and readers are advised to take the original article as the standard.
4. If you have any questions, please contact us at marketing@iczoom.com and mark the subject with "Datasheets" .

WDU 4


Now accepts pluggable or screw jumpers




Reference Derating Chart

WDU 4N


new



WDU 6



WDU 10



Single Level

Single Level

Single Level

Single Level

Part No.	Part No.	Part No.	Part No.				
1020100000	1042600000	1020200000	1020300000				
1020180000	1042680000	1020280000	1020380000				
1036760000							
1020140000							
1020120000							
1020160000							
1037820000							
1037810000							
1037800000							
1036700000							
1020110000							
6/60/47 (.24/2.36/1.85)	6/44/38 (.24/1.73/1.50)	8/60/47 (.31/2.36/1.85)	10/60/47 (.39/2.36/1.85)				
10 (.39)	10 (.39)	12 (.47)	12 (.47)				
600 V / 35 A / #22...10 AWG	300 V / 10 A / #22...10 AWG*	600 V / 45 A / #20... 8 AWG	1000 V / 65 A / #16...6 AWG				
600 V / 35 A / #26...10 AWG	300 V / 10 A / #26...10 AWG*	600 V / 45 A / #20... 8 AWG	600 V / 65 A / #16...6 AWG				
800 V / 32 A / 4 mm ²	500 V / 32 A / 4 mm ²	800 V / 41 A / 6 mm ²	800 V / 57 A / 10 mm ²				
1.0 (9.0)	1.0 (9.0)	1.6 (14.2)	2.3 (20.4)				
3	3	3.5	4				
Type	Part No.	Type	Part No.	Type	Part No.	Type	Part No.
WAP (1.5)	1050000000	WAP (1.5)	1060000000	WAP (1.5)	1050000000	WAP (1.5)	1050000000
WAP (1.5)	1050080000	WAP (1.5)	1060080000	WAP (1.5)	1050080000	WAP (1.5)	1050080000
WAP (1.5)	1050060000			WAP (1.5)	1050060000	WAP (1.5)	1050060000
WTW (3)	1050100000	WTW (1.5)	0191860000	WTW (3)	1050100000	WTW (3)	1050100000
WTW (1.5)	1050180000			WTW (3)	1050180000	WTW (3)	1050180000
WEW 35/2†	1061200000	WEW 35/2†	1061200000	WEW 35/2†	1061200000	WEW 35/2†	1061200000
WQV 4/2	1051960000	ZQV 4N/2	1758250000	WQV 6/2	1052360000	WQV 10/2	1052560000
WQV 4/3	1054560000	ZQV 4N/3	1762630000	WQV 6/3	1054760000	WQV 10/3	1054960000
WQV 4/4	1054660000	ZQV 4N/4	1762620000	WQV 6/4	1054860000	WQV 10/4	1055060000
WQV 4/5	1057860000	ZQV 4N/10	1758260000	WQV 6/5	1062660000		
WQV 4/6	1057160000	ZQV 4N/41	1758270000	WQV 6/6	1062670000		
WQV 4/7	1057260000			WQV 6/7	1062680000		
WQV 4/8	1057960000						
WQV 4/9	1058060000						
WQV 4/10	1052060000			WQV 6/10	1052260000	WQV 10/10	1052460000
LS 2.8	1056400000			LS 2.8	1056400000	LS 2.8	1056400000
WAW 1	9004500000			WAW 1	9004500000	WAW 1	9004500000
SD	9008330000	SD	9008330000	SD	9008340000	SD	9008350000
PS 2.3 (ø 2.3)	0180400000	WTA 1	1632290000	PS 2.3 (ø 2.3)	0180400000	PS 2.3 (ø 2.3)	0180400000
StB 8.5 (ø 2.3)	0280600000	TA 1	0535860000	PS 4 (ø 4)	0299600000	PS 4 (ø 4)	0299600000
				StB 8.5 (ø 2.3)	0280600000	StB 8.5 (ø 2.3)	0280600000
				StB 14 (ø 4)	0169900000	StB 14 (ø 4)	0169900000
DEK 5/6	0468660001	DEK 5/6	0468660001	DEK 5/6.5	0468160001	DEK 5/6.5	0468160001
DEK 5/6	0468760001	DEK 5/6	0468760001	DEK 5/6.5	0468260001	DEK 5/6.5	0468260001

†When WEW 35/2 is used, a WAP is not required.
*UL and CSA pending