



阅读申明

- 1.本站收集的数据手册和产品资料都来自互联网，版权归原作者所有。如读者和版权方有任何异议请及时告之，我们将妥善解决。
- 2.本站提供的中文数据手册是英文数据手册的中文翻译，其目的是协助用户阅读，该译文无法自动跟随原稿更新，同时也可能存在翻译上的不当。建议读者以英文原稿为参考以便获得更精准的信息。
- 3.本站提供的产品资料，来自厂商的技术支持或者使用者的心得体会等，其内容可能存在描述上的差异，建议读者做出适当判断。
- 4.如需与我们联系，请发邮件到marketing@iczoom.com，主题请标有“数据手册”字样。


Read Statement

1. The datasheets and other product information on the site are all from network reference or other public materials, and the copyright belongs to the original author and original published source. If readers and copyright owners have any objections, please contact us and we will deal with it in a timely manner.
2. The Chinese datasheets provided on the website is a Chinese translation of the English datasheets. Its purpose is for reader's learning exchange only and do not involve commercial purposes. The translation cannot be automatically updated with the original manuscript, and there may also be improper translations. Readers are advised to use the English manuscript as a reference for more accurate information.
3. All product information provided on the website refer to solutions from manufacturers' technical support or users the contents may have differences in description, and readers are advised to take the original article as the standard.
4. If you have any questions, please contact us at marketing@iczoom.com and mark the subject with "Datasheets" .

Marker Cards SK 1215A



SK Marker Cards



The self-adhesive marker cards SK can be used for all components which do not have marker grooves. The cards are available printed in the pitches of:

- ◆ Printed circuit terminal blocks
- ◆ COMBICON plug connectors
- ◆ Mini-strip terminal blocks
- ◆ Electronic housings
- ◆ VARIOFACE modules
- ◆ PLC systems cabling
- ◆ Multi-level DIN-rail terminal blocks


Special Note:

On SK Marker Cards which offer decade increments greater than 100, please specify which decade increment(s) are required on your purchase order.



SK 2.5/2.8

| Description | Type | Order Number | Pcs./Pkt. |
|--|---|---------------------------------------|-----------|
| Marker card, unprinted, strip 2.8 mm high, self-adhesive, 10-section marker strip for individual labeling with M-PEN or CMS system, sufficient for 140 terminal blocks | ● SK 2.5/2.8 WH: Unprinted | 5527672 | 1 |
| Marker card, printed horizontally, strip 2.8 mm high, 10-section marker strip, 14 identical decades labeled 0-9, self-adhesive, sufficient for 140 terminal blocks | 0-9 SK 2.5/2.8: 0-9 | 0804866 | 1 |
| Marker card, printed horizontally, strip 2.8 mm high, self-adhesive, 10-section marker strip, 14 identical decades labeled 1-10, 11-20, etc., up to 91-999, sufficient for 140 terminal blocks, maximum number of characters per label (2) for SK 2.5/2.8 and SK 3.5/2.8 | 1-10 SK 2.5/2.8: 1-10 | 5600007 | 1 |
| | 11-20 SK 2.5/2.8: 11-20 | 5600023 | 1 |
| | etc. up to SK 2.5/2.8: 21-30 | 5600039 | 1 |
| | 91-999 SK 2.5/2.8: 31-40 | 5600055 | 1 |
| | SK 2.5/2.8: 41-50 | 5600071 | 1 |
| | SK 2.5/2.8: 51-60 | 5600087 | 1 |
| | SK 2.5/2.8: 61-70 | 5600103 | 1 |
| | SK 2.5/2.8: 71-80 | 5600119 | 1 |
| | SK 2.5/2.8: 81-90 | 5600135 | 1 |
| | SK 2.5/2.8: 91-99 | 5600151 | 1 |
| Marker card, printed horizontally, as above, however, consecutive numbers from 1-250, 251-500, etc. | 1-250 251-500 501-750 751-1000 | | |
| Marker card, printed horizontally, as above, however, 14x5-section marker strips | L1, L2, L3, N, PE U, V, W, N, ↓ | | |
| Marker card, special printing, self-adhesive, labeled according to customer requirements | SK 2.5/2.8: SO 1) 2) | 0804879 | 1 |
| Material | | Polyester | |
| Temperature | (C) | -40 to +120 | |
| Color | | white | |
| Wipe resistance | | DIN 30 646: 1993-11 VDE 0611: 1977-11 | |





Marking Direction: Horizontal

1) = Required marking is to be specified
2) = When ordering special printing, call our Fax-On-Demand at 800-944-9901 and request document #7042. When you receive this document, complete the form(s) as instructed and attach to your purchase order.

NOTE: SK 2.5/2.8... indicates:
2.5 mm pitch
2.8 mm height

● = can be labeled with CMS



SK 3.5/2.8


SK 3.81/2.8

SK 5.08/2.8

| Type | Order Number | Pcs./Pkt. | Type | Order Number | Pcs./Pkt. | Type | Order Number | Pcs./Pkt. |
|---------------------------------------|--------------|-----------|---------------------------------------|--------------|-----------|---------------------------------------|--------------|-----------|
| SK 3.5/2.8 WH: Unprinted | 5527685 | 1 | SK 3.81/2.8 WH: Unprinted | 5527698 | 1 | SK 5.08/2.8 WH: Unprinted | 5527708 | 1 |
| SK 3.5/2.8: 0-9 | | 1 | SK 3.81/2.8: 0-9 | 0804112 | 1 | | | |
| SK 3.5/2.8: 1-10 | 5600008 | 1 | SK 3.81/2.8: 1-10 | 5600009 | 1 | SK 5.08/2.8: 1-10 | 5600010 | 1 |
| SK 3.5/2.8: 11-20 | 5600024 | 1 | SK 3.81/2.8: 11-20 | 5600025 | 1 | SK 5.08/2.8: 11-20 | 5600026 | 1 |
| SK 3.5/2.8: 21-30 | 5600040 | 1 | SK 3.81/2.8: 21-30 | 5600041 | 1 | SK 5.08/2.8: 21-30 | 5600042 | 1 |
| SK 3.5/2.8: 31-40 | 5600056 | 1 | SK 3.81/2.8: 31-40 | 5600057 | 1 | SK 5.08/2.8: 31-40 | 5600058 | 1 |
| SK 3.5/2.8: 41-50 | 5600072 | 1 | SK 3.81/2.8: 41-50 | 5600073 | 1 | SK 5.08/2.8: 41-50 | 5600074 | 1 |
| SK 3.5/2.8: 51-60 | 5600088 | 1 | SK 3.81/2.8: 51-60 | 5600089 | 1 | SK 5.08/2.8: 51-60 | 5600090 | 1 |
| SK 3.5/2.8: 61-70 | 5600104 | 1 | SK 3.81/2.8: 61-70 | 5600105 | 1 | SK 5.08/2.8: 61-70 | 5600106 | 1 |
| SK 3.5/2.8: 71-80 | 5600120 | 1 | SK 3.81/2.8: 71-80 | 5600121 | 1 | SK 5.08/2.8: 71-80 | 5600122 | 1 |
| SK 3.5/2.8: 81-90 | 5600136 | 1 | SK 3.81/2.8: 81-90 | 5600137 | 1 | SK 5.08/2.8: 81-90 | 5600138 | 1 |
| SK 3.5/2.8: 91-99 | 5600152 | 1 | SK 3.81/2.8: 91-100 | 5600153 | 1 | SK 5.08/2.8: 91-100 | 5600154 | 1 |
| | | | SK 3.81/2.8: 101-999 | 5600167 | 1 | SK 5.08/2.8: 101-999 | 5600168 | 1 |
| | | | SK 3.81/2.8: 1-250 | 0804141 | 1 | | | |
| | | | SK 3.81/2.8: 251-500 | 0804154 | 1 | | | |
| | | | SK 3.81/2.8: 501-750 | 0804167 | 1 | | | |
| | | | SK 3.81/2.8: 751-1000 | 0804170 | 1 | | | |
| | | | SK 3.81/2.8: L1-N, PE | 0804125 | 1 | | | |
| | | | SK 3.81/2.8: U-N | 0804138 | 1 | | | |
| SK 3.5/2.8: SO 1) 2) | 0805030 | 1 | SK 3.81/2.8: SO 1) 2) | 0805056 | 1 | SK 5.08/2.8: SO 1) 2) | 0805108 | 1 |
| Polyester | | | Polyester | | | Polyester | | |
| -40 to +120 | | | -40 to +120 | | | -40 to +120 | | |
| white | | | white | | | white | | |
| DIN 30 646: 1993-11 VDE 0611: 1977-11 | | | DIN 30 646: 1993-11 VDE 0611: 1977-11 | | | DIN 30 646: 1993-11 VDE 0611: 1977-11 | | |

SK Marker Cards


3.8 mm



SK 2.5/3.8

SK 3.5/3.8

| Description | Type | Order Number | Pcs./Pkt. | Type | Order Number | Pcs./Pkt. | |
|--|---|---|--|--|---|--|--|
| Marker card, unprinted, strip 3.8 mm high, self-adhesive, 10-section marker strip for individual labeling with M-PEN or CMS system, sufficient for 120 terminal blocks | ● | SK 2.5/3.8 WH: Unprinted | 5527711 | 1 | SK 3.5/3.8 WH: Unprinted | 5527724 | 1 |
| Marker card, printed horizontally, strip 3.8 mm high, self-adhesive, 10-section marker strip, 12 identical decades labeled 0-9, sufficient for 120 terminal blocks | 0-9 | SK 2.5/3.8: 0-9 | 0804060 | 1 | | | |
| Marker card, printed horizontally, as above, however, 12 identical decades labeled 1-10, 11-20, etc., sufficient for 120 terminal blocks, maximum number of characters per label (2) for SK 2.5/3.8 and SK 3.5/3.8 | 1-10 11-20 etc. up to 91-999 | SK 2.5/3.8: 1-10 SK 2.5/3.8: 11-20 SK 2.5/3.8: 21-30 SK 2.5/3.8: 31-40 SK 2.5/3.8: 41-50 SK 2.5/3.8: 51-60 SK 2.5/3.8: 61-70 SK 2.5/3.8: 71-80 SK 2.5/3.8: 81-90 SK 2.5/3.8: 91-99 | 5600011 5600027 5600043 5600059 5600075 5600091 5600107 5600123 5600139 5600155 | 1 1 1 1 1 1 1 1 1 1 | SK 3.5/3.8: 1-10 SK 3.5/3.8: 11-20 SK 3.5/3.8: 21-30 SK 3.5/3.8: 31-40 SK 3.5/3.8: 41-50 SK 3.5/3.8: 51-60 SK 3.5/3.8: 61-70 SK 3.5/3.8: 71-80 SK 3.5/3.8: 81-90 SK 3.5/3.8: 91-99 | 5600012 5600028 5600044 5600060 5600076 5600092 5600108 5600124 5600140 5600156 | 1 1 1 1 1 1 1 1 1 1 |
| Marker card, printed horizontally, as above, however, consecutive numbers from 1-250, 251-500, etc. | 1-250 251-500 501-750 751-1000 | | | | | | |
| Marker card, printed horizontally, as above, however, 12x5-section marker strips | L1, L2, L3, N, PE U, V, W, N, ↓ | | | | | | |
| Marker card, special printing, self-adhesive, labeled according to customer requirements | | SK 2.5/3.8: SO 1) 2) | 0805027 | 1 | SK 3.5/3.8: SO 1) 2) | 0805043 | 1 |
| Material | | Polyester | | | Polyester | | |
| Temperature | (C) | -40 to +120 | | | -40 to +120 | | |
| Color | | white | | | white | | |
| Wipe resistance | | DIN 30 646: 1993-11 VDE 0611: 1977-11 | | | DIN 30 646: 1993-11 VDE 0611: 1977-11 | | |




Marking Direction: Horizontal

1) = Required marking is to be specified
 2) = When ordering special printing, call our Fax-On-Demand at 800-944-9901 and request document #7042. When you receive this document, complete the form(s) as instructed and attach to your purchase order.

NOTE: SK 2.5/3.8... indicates:
 2.5 mm pitch
 3.8 mm height

● = can be labeled with CMS



SK 5/3.8

SK 5.08/3.8

SK 6.2/3.8


| Type | Order Number | Pcs./Pkt. | Type | Order Number | Pcs./Pkt. | Type | Order Number | Pcs./Pkt. |
|---------------------------------------|--------------|-----------|---------------------------------------|--------------|-----------|---------------------------------------|--------------|-----------|
| SK 5/3.8 WH: Unprinted | 5527737 | 1 | SK 5.08/3.8 WH: Unprinted | 5527740 | 1 | SK 6.2/3.8 WH: Unprinted | 5527753 | 1 |
| SK 5/3.8: 0-9 | 0804196 | 1 | SK 5.08/3.8: 0-9 | 0804303 | 1 | SK 6.2/3.8: 0-9 | 0804387 | 1 |
| SK 5/3.8: 1-10 | 5600013 | 1 | SK 5.08/3.8: 1-10 | 5600014 | 1 | SK 6.2/3.8: 1-10 | 5600015 | 1 |
| SK 5/3.8: 11-20 | 5600029 | 1 | SK 5.08/3.8: 11-20 | 5600030 | 1 | SK 6.2/3.8: 11-20 | 5600031 | 1 |
| SK 5/3.8: 21-30 | 5600045 | 1 | SK 5.08/3.8: 21-30 | 5600046 | 1 | SK 6.2/3.8: 21-30 | 5600047 | 1 |
| SK 5/3.8: 31-40 | 5600061 | 1 | SK 5.08/3.8: 31-40 | 5600062 | 1 | SK 6.2/3.8: 31-40 | 5600063 | 1 |
| SK 5/3.8: 41-50 | 5600077 | 1 | SK 5.08/3.8: 41-50 | 5600078 | 1 | SK 6.2/3.8: 41-50 | 5600079 | 1 |
| SK 5/3.8: 51-60 | 5600093 | 1 | SK 5.08/3.8: 51-60 | 5600094 | 1 | SK 6.2/3.8: 51-60 | 5600095 | 1 |
| SK 5/3.8: 61-70 | 5600109 | 1 | SK 5.08/3.8: 61-70 | 5600110 | 1 | SK 6.2/3.8: 61-70 | 5600111 | 1 |
| SK 5/3.8: 71-80 | 5600125 | 1 | SK 5.08/3.8: 71-80 | 5600126 | 1 | SK 6.2/3.8: 71-80 | 5600127 | 1 |
| SK 5/3.8: 81-90 | 5600141 | 1 | SK 5.08/3.8: 81-90 | 5600142 | 1 | SK 6.2/3.8: 81-90 | 5600143 | 1 |
| SK 5/3.8: 91-100 | 5600157 | 1 | SK 5.08/3.8: 91-100 | 5600158 | 1 | SK 6.2/3.8: 91-100 | 5600159 | 1 |
| SK 5/3.8: 101-999 | 5600169 | 1 | SK 5.08/3.8: 101-999 | 5600170 | 1 | SK 6.2/3.8: 101-999 | 5600171 | 1 |
| SK 5/3.8: 1-250 | 0804222 | 1 | SK 5.08/3.8: 1-250 | 0804332 | 1 | SK 6.2/3.8: 1-250 | 0804413 | 1 |
| SK 5/3.8: 251-500 | 0804235 | 1 | SK 5.08/3.8: 251-500 | 0804345 | 1 | SK 6.2/3.8: 251-500 | 0804426 | 1 |
| SK 5/3.8: 501-750 | 0804248 | 1 | SK 5.08/3.8: 501-750 | 0804358 | 1 | SK 6.2/3.8: 501-750 | 0804439 | 1 |
| SK 5/3.8: 751-1000 | 0804264 | 1 | SK 5.08/3.8: 751-1000 | 0804361 | 1 | SK 6.2/3.8: 751-1000 | 0804442 | 1 |
| SK 5/3.8: L1-N, PE | 0804206 | 1 | SK 5.08/3.8: L1-N, PE | 0804316 | 1 | SK 6.2/3.8: L1-N, PE | 0804390 | 1 |
| SK 5/3.8: U-N | 0804219 | 1 | SK 5.08/3.8: U-N | 0804329 | 1 | SK 6.2/3.8: U-N | 0804400 | 1 |
| SK 5/3.8: SO 1) 2) | 0805072 | 1 | SK 5.08/3.8: SO 1) 2) | 0805085 | 1 | SK 6.2/3.8: SO 1) 2) | 0805111 | 1 |
| Polyester | | | Polyester | | | Polyester | | |
| -40 to +120 | | | -40 to +120 | | | -40 to +120 | | |
| white | | | white | | | white | | |
| DIN 30 646: 1993-11 VDE 0611: 1977-11 | | | DIN 30 646: 1993-11 VDE 0611: 1977-11 | | | DIN 30 646: 1993-11 VDE 0611: 1977-11 | | |

Special Note:

On SK Marker Cards which offer decade increments greater than 100, please specify which decade increment(s) are required on your purchase order.

SK Marker Cards


3.8 mm



SK 7.5/3.8

SK 7.62/3.8

| Description | Type | Order Number | Type | Order Number | Pcs./Pkt. |
|--|---|---|--|--|-----------|
| Marker card, unprinted, strip 3.8 mm high, self-adhesive, 10-section marker strip for individual labeling with M-PEN or CMS system, sufficient for 120 terminal blocks | ● | SK 7.5/3.8 WH: Unprinted 5527766 | SK 7.62/3.8 WH: Unprinted | 5527779 | 1 |
| Marker card, printed horizontally, strip 3.8 mm high, self-adhesive 10-section marker strip, 12 identical decades labeled 0-9, sufficient for 120 terminal blocks | 0-9 | | | | |
| Marker card, printed horizontally, as above, however, 12 identical decades labeled 1-10, 11-20, etc., sufficient for 120 terminal blocks | 1-10 11-20 etc. up to 91-999 | SK 7.5/3.8: 1-10 5600016 SK 7.5/3.8: 11-20 5600032 SK 7.5/3.8: 21-30 5600048 SK 7.5/3.8: 31-40 5600064 SK 7.5/3.8: 41-50 5600080 SK 7.5/3.8: 51-60 5600096 SK 7.5/3.8: 61-70 5600112 SK 7.5/3.8: 71-80 5600128 SK 7.5/3.8: 81-90 5600144 SK 7.5/3.8: 91-100 5600160 SK 7.5/3.8: 101-999 5600172 | SK 7.62/3.8: 1-10 5600017 SK 7.62/3.8: 11-20 5600033 SK 7.62/3.8: 21-30 5600049 SK 7.62/3.8: 31-40 5600065 SK 7.62/3.8: 41-50 5600081 SK 7.62/3.8: 51-60 5600097 SK 7.62/3.8: 61-70 5600113 SK 7.62/3.8: 71-80 5600129 SK 7.62/3.8: 81-90 5600145 SK 7.62/3.8: 91-100 5600161 SK 7.62/3.8: 101-999 5600173 | 1 1 1 1 1 1 1 1 1 1 1 1 | |
| Marker card, printed horizontally, as above, however, consecutive numbers from 1-250, 251-500, etc. | 1-250 251-500 501-750 751-1000 | | | | |
| Marker card, printed horizontally, as above, however, 12x5-section marker strips | L1, L2, L3, N, PE U, V, W, N, ↓ | | | | |
| Marker card, special printing, self-adhesive, labeled according to customer requirements | | SK 7.5/3.8: SO 1) 2) 0805137 | SK 7.62/3.8: SO 1) 2) 0805153 | | 1 |
| Material | | Polyester | Polyester | | |
| Temperature | (C) | -40 to +120 | -40 to +120 | | |
| Color | | white | white | | |
| Wipe resistance | | DIN 30 646: 1993-11 VDE 0611: 1977-11 | DIN 30 646: 1993-11 VDE 0611: 1977-11 | | |



Marking Direction: Horizontal

1) = Required marking is to be specified
 2) = When ordering special printing, call our Fax-On-Demand at 800-944-9901 and request document #7042. When you receive this document, complete the form(s) as instructed and attach to your purchase order.


NOTE: SK 7.5/3.8... indicates:
 7.5 mm pitch
 3.8 mm height

● = can be labeled with CMS




SK 9.5/3.8

| Type | Order Number | Pcs./Pkt. |
|--------------------------|--------------|-----------|
| SK 9.5/3.8 WH: Unprinted | 5527782 | 1 |



| | | |
|---------------------|---------|---|
| SK 9.5/3.8: 1-10 | 5600018 | 1 |
| SK 9.5/3.8: 11-20 | 5600034 | 1 |
| SK 9.5/3.8: 21-30 | 5600050 | 1 |
| SK 9.5/3.8: 31-40 | 5600066 | 1 |
| SK 9.5/3.8: 41-50 | 5600082 | 1 |
| SK 9.5/3.8: 51-60 | 5600098 | 1 |
| SK 9.5/3.8: 61-70 | 5600114 | 1 |
| SK 9.5/3.8: 71-80 | 5600130 | 1 |
| SK 9.5/3.8: 81-90 | 5600146 | 1 |
| SK 9.5/3.8: 91-100 | 5600162 | 1 |
| SK 9.5/3.8: 101-999 | 5600174 | 1 |



| | | |
|-------------------|---------|---|
| SK 9.5/3.8: SO 1) | 0805166 | 1 |
|-------------------|---------|---|

Polyester

-40 to +120

white

DIN 30 646: 1993-11 VDE 0611: 1977-11

Special Note:

On SK Marker Cards which offer decade increments greater than 100, please specify which decade increment(s) are required on your purchase order.

SK Marker Cards


5 mm



SK 7.5/5

SK 7.62/5

| Description | Type | Order Number | Pcs./Pkt. | Type | Order Number | Pcs./Pkt. | |
|--|-------------------|---------------------------------------|-----------|--------------------|---------------------------------------|-----------|---|
| Marker card, unprinted, strip 5 mm high, self-adhesive, 10-section marker strip for individual labeling with M-PEN or CMS system, sufficient for 100 terminal blocks | ● | SK 7.5/5 WH: Unprinted | 5527795 | 1 | SK 7.62/5 WH: Unprinted | 5527805 | 1 |
| Marker card, printed horizontally, strip 5 mm high, self-adhesive, 10-section marker strip, 10 identical decades labeled 0-9, sufficient for 100 terminal blocks | 0-9 | SK 7.5/5: 0-9 | 0804471 | 1 | SK 7.62/5: 0-9 | 0804565 | 1 |
| Marker card, printed horizontally, as above, however, 10 identical decades labeled 1-10, 11-20, etc., sufficient for 100 terminal blocks | 1-10 | SK 7.5/5: 1-10 | 5600019 | 1 | SK 7.62/5: 1-10 | 5600020 | 1 |
| | 11-20 | SK 7.5/5: 11-20 | 5600035 | 1 | SK 7.62/5: 11-20 | 5600036 | 1 |
| | etc. up to | SK 7.5/5: 21-30 | 5600051 | 1 | SK 7.62/5: 21-30 | 5600052 | 1 |
| | 101-999 | SK 7.5/5: 31-40 | 5600067 | 1 | SK 7.62/5: 31-40 | 5600068 | 1 |
| | | SK 7.5/5: 41-50 | 5600083 | 1 | SK 7.62/5: 41-50 | 5600084 | 1 |
| | | SK 7.5/5: 51-60 | 5600099 | 1 | SK 7.62/5: 51-60 | 5600100 | 1 |
| | | SK 7.5/5: 61-70 | 5600115 | 1 | SK 7.62/5: 61-70 | 5600116 | 1 |
| | | SK 7.5/5: 71-80 | 5600131 | 1 | SK 7.62/5: 71-80 | 5600132 | 1 |
| | | SK 7.5/5: 81-90 | 5600147 | 1 | SK 7.62/5: 81-90 | 5600148 | 1 |
| | | SK 7.5/5: 91-100 | 5600163 | 1 | SK 7.62/5: 91-100 | 5600164 | 1 |
| | SK 7.5/5: 101-999 | 5600175 | 1 | SK 7.62/5: 101-999 | 5600176 | 1 | |
| Marker card, printed horizontally, as above, however, consecutive numbers from 1-250, 251-500, etc. | 1-250 | SK 7.5/5: 1-250 | 0804507 | 1 | SK 7.62/5: 1-250 | 0804594 | 1 |
| | 251-500 | SK 7.5/5: 251-500 | 0804510 | 1 | SK 7.62/5: 251-500 | 0804604 | 1 |
| | 501-750 | SK 7.5/5: 501-750 | 0804523 | 1 | SK 7.62/5: 501-750 | 0804617 | 1 |
| | 751-1000 | SK 7.5/5: 751-1000 | 0804536 | 1 | SK 7.62/5: 751-1000 | 0804620 | 1 |
| Marker card, printed horizontally, as above, however, 10x5-section marker strips | L1, L2, L3, N, PE | SK 7.5/5: L1-N, PE | 0804484 | 1 | SK 7.62/5: L1-N, PE | 0804578 | 1 |
| | U, V, W, N, | SK 7.5/5: U-N | 0804497 | 1 | SK 7.62/5: U-N | 0804581 | 1 |
| Marker card, special printing, self-adhesive, labeled according to customer requirements | | SK 7.5/5: SO 1) | 0805124 | 1 | SK 7.62/5: SO 1) | 0805140 | 1 |
| Material | | Polyester | | | Polyester | | |
| Temperature | (C) | -40 to +120 | | | -40 to +120 | | |
| Color | | white | | | white | | |
| Wipe resistance | | DIN 30 646: 1993-11 VDE 0611: 1977-11 | | | DIN 30 646: 1993-11 VDE 0611: 1977-11 | | |






Marking Direction: Horizontal

1) = Required marking is to be specified
 2) = When ordering special printing, call our Fax-On-Demand at 800-944-9901 and request document #7042. When you receive this document, complete the form(s) as instructed and attach to your purchase order.

NOTE: SK 7.5/5... indicates:
 7.5 mm pitch
 5 mm height

● = can be labeled with CMS



SK 9.5/5

SK 10.5/5



SK 12.5/5

| Type | Order Number | Pcs./Pkt. | Type | Order Number | Pcs./Pkt. | Type | Order Number | Pcs./Pkt. |
|---------------------------------------|--------------|-----------|---------------------------------------|--------------|-----------|---------------------------------------|--------------|-----------|
| SK 9.5/5 WH: Unprinted | 5527818 | 1 | SK 10.5/5 WH: Unprinted | 5527821 | 1 | SK 12.5/5 WH: Unprinted | 5527834 | 1 |
| SK 9.5/5: 0-9 | 0804646 | 1 | SK 10.5/5: 0-9 | 0804688 | 1 | SK 12.5/5: 0-9 | 0804727 | 1 |
| | | | SK 10.5/5: 1-10 | 5600021 | 1 | SK 12.5/5: 1-10 | 5600022 | 1 |
| | | | SK 10.5/5: 11-20 | 5600037 | 1 | SK 12.5/5: 11-20 | 5600038 | 1 |
| | | | SK 10.5/5: 21-30 | 5600053 | 1 | SK 12.5/5: 21-30 | 5600054 | 1 |
| | | | SK 10.5/5: 31-40 | 5600069 | 1 | SK 12.5/5: 31-40 | 5600070 | 1 |
| | | | SK 10.5/5: 41-50 | 5600085 | 1 | SK 12.5/5: 41-50 | 5600086 | 1 |
| | | | SK 10.5/5: 51-60 | 5600101 | 1 | SK 12.5/5: 51-60 | 5600102 | 1 |
| | | | SK 10.5/5: 61-70 | 5600117 | 1 | SK 12.5/5: 61-70 | 5600118 | 1 |
| | | | SK 10.5/5: 71-80 | 5600133 | 1 | SK 12.5/5: 71-80 | 5600134 | 1 |
| | | | SK 10.5/5: 81-90 | 5600149 | 1 | SK 12.5/5: 81-90 | 5600150 | 1 |
| | | | SK 10.5/5: 91-100 | 5600165 | 1 | SK 12.5/5: 91-100 | 5600166 | 1 |
| | | | SK 10.5/5: 101-999 | 5600177 | 1 | SK 12.5/5: 101-999 | 5600178 | 1 |
| SK 9.5/5: L1-N, PE | 0804659 | 1 | SK 10.5/5: L1-N, PE | 0804691 | 1 | SK 12.5/5: L1-N, PE | 0804730 | 1 |
| SK 9.5/5: U-N | 0804662 | 1 | SK 10.5/5: U-N | 0804701 | 1 | | | |
| SK 9.5/5: SO 1) | 0805069 | 1 | SK 10.5/5: SO 1) 2) | 0805179 | 1 | SK 12.5/5: SO 1) 2) | 0805182 | 1 |
| Polyester | | | Polyester | | | Polyester | | |
| -40 to +120 | | | -40 to +120 | | | -40 to +120 | | |
| white | | | white | | | white | | |
| DIN 30 646: 1993-11 VDE 0611: 1977-11 | | | DIN 30 646: 1993-11 VDE 0611: 1977-11 | | | DIN 30 646: 1993-11 VDE 0611: 1977-11 | | |

Special Note:
 On SK Marker Cards which offer decade increments greater than 100, please specify which decade increment(s) are required on your purchase order.

SK Marker Cards

SK U



SK U

The self-adhesive marker strips of the SK U sheets can be used for all products that do not have a special marker groove.

The polyester 8.5" x 11" sheets can be labeled using:

- ◆ A laser printer
- ◆ A plotter
- ◆ A typewriter
- ◆ M-PEN

Sheets are available with a strip height of 2.8, 3.8, or 5 mm. The strips are 185 mm long. For special printing requirements, the pitch can be determined as desired using a professional marking system (e.g. CMS).

| Description | Color | Type | Order Number | Pcs./Pkt. | |
|---|---------------------------------------|------------------|--|--|------------------|
| Marker sheet, strips 2.8 mm high, 8.5" x 11" format, with 50 marker strips, strips 185 mm long, pitch as desired | white | ● | SK U/2.8 WH: Unprinted | 0803883 | 1 |
| Marker sheet, special printing, as above, however, marking according to customer requirements | white | ● | SK U/2.8: SO/CMS...1) | 0803896 | 1 |
| Marker sheet, strip 3.8 mm high, 8.5" x 11" format, with 40 marker strips, strips 185 mm long, pitch as desired | white | ● | SK U/3.8 WH: Unprinted | 0803906 | 1 |
| Marker sheet, special printing, as above, however, marking according to customer requirements | white | ● | SK U/3.8: SO/CMS...1) | 0803919 | 1 |
| Marker sheet, strip 5 mm high, 8.5" x 11" format, with 35 marker strips, strips 185 mm long, pitch as desired | white | ● | SK U/5 WH: Unprinted | 0803922 | 1 |
| Marker sheet, special printing, as above, however, marking according to customer requirements | white | ● | SK U/5: SO/CMS...1) | 0803935 | 1 |
| Marker sheet, unstamped 8.5" x 11" format, for producing individual special marker strips, labeling with CMS system | white yellow orange silver | ● ● ● ● | SK U/WH: Unstamped SK U/YE: Unstamped SK U/OG: Unstamped SK U/SR: Unstamped | 0800129 0800132 0800158 0800145 | 1 1 1 1 |
| Material | Polyester | | | | |
| Temperature | (c) | | -40 to +120 | | |
| Color | white | | | | |
| Wipe resistance | DIN 30 646: 1993-11 VDE 0611: 1977-11 | | | | |

1) Required marking is to be specified
2) When ordering special printing, call our Fax-On-Demand at 800-944-9901 and request document #7042. When you receive this document, complete the form(s) as instructed and attach to your purchase order.

Special Note:
On SK Marker Cards which offer decade increments greater than 100, please specify which decade increment(s) are required on your purchase order.

● = can be labeled with CMS

The information given herein is based on data believed to be reliable, but Phoenix Contact Inc. makes no warranties expressed or implied as to the accuracy and assumes no liability arising out of its use by others. This publication is not to be taken as license to operate under, or recommendation to infringe, any patent.

Headquarters, U.S.

Phoenix Contact Inc.

P.O. Box 4100

Harrisburg, PA 17111-0100

Technical Support and Information: 800-322-3225

Fax: (717) 944-1625

Fax-On-Demand: 800-944-9901

E-mail: info@phoenixcon.com

Web Site: www.phoenixcon.com