

## 阅读申明

- 1.本站收集的数据手册和产品资料都来自互联网，版权归原作者所有。如读者和版权方有任何异议请及时告之，我们将妥善解决。
- 2.本站提供的中文数据手册是英文数据手册的中文翻译，其目的是协助用户阅读，该译文无法自动跟随原稿更新，同时也可能存在翻译上的不当。建议读者以英文原稿为参考以便获得更精准的信息。
- 3.本站提供的产品资料，来自厂商的技术支持或者使用者的心得体会等，其内容可能存在描述上的差异，建议读者做出适当判断。
- 4.如需与我们联系，请发邮件到marketing@iczoom.com，主题请标有“数据手册”字样。


## Read Statement

1. The datasheets and other product information on the site are all from network reference or other public materials, and the copyright belongs to the original author and original published source. If readers and copyright owners have any objections, please contact us and we will deal with it in a timely manner.
2. The Chinese datasheets provided on the website is a Chinese translation of the English datasheets. Its purpose is for reader's learning exchange only and do not involve commercial purposes. The translation cannot be automatically updated with the original manuscript, and there may also be improper translations. Readers are advised to use the English manuscript as a reference for more accurate information.
3. All product information provided on the website refer to solutions from manufacturers' technical support or users the contents may have differences in description, and readers are advised to take the original article as the standard.
4. If you have any questions, please contact us at marketing@iczoom.com and mark the subject with "Datasheets" .




# Antenna

A range of high quality antennae designed and manufactured for operation specifically with Low power short range telemetry systems. Using one of the following antennae will give optimum range and reliability to your application.




## 'Stubby' Helical Antenna

- $\frac{1}{4}$  Wavelength **Helical** Antenna
- Rugged Plastic Finish, Flexible Antenna
- Available As BNC, 4BA, M4 Screw Fixing



## $\frac{1}{4}$ Wave Flexible Antenna

- Standard  $\frac{1}{4}$  Wavelength **Whip** Antenna
- Rugged Plastic Finish. Flexible Antenna
- Available As BNC, 4BA, M4 Screw Fixing



## +3db GAIN ANTENNA

- +3db GAIN  $\frac{5}{8}$  Wavelength Whip Antenna
- Integral Wall Mounting Bracket
- Supplied With 2 Metres Coax Cable & BNC (50 $\Omega$ )

Note: In Order To Comply With The UK DTI Regulations, A Gain Antenna Must Not Be Used On Any Transmitting Device.

# Antenna



## Puk Antenna

- Panel Mounting **Puk** Antenna
- Rugged Plastic Finish
- Available with BNC, SMA Fixings

## Dipole Antenna

- Flat Form **Dipole** Antenna
- Tuned for european GSM frequencies
- Rugged Plastic Finish
- Self Adhesive Pad
- Available with SMA Fixing



## ¼ Wave Whip Antenna Dimensions (mm)

	M4		4BA		BNC	
	Length	Dia	Length	Dia	Length	Dia
315MHz	*	*	231	13	250	18
433MHz	162.5	13	160.5	13	172	17
458MHz	-	-	-	-	164	16
868MHz	97	13	-	-	81	17.5
916MHz	-	-	83	13	-	-

## Helical / Compressed Helical / Gain Antenna Dimensions (mm)

	Helical M4		Helical 4BA		Helical BNC		Comp. Helical M4		Gain	
	Length	Dia	Length	Dia	Length	Dia	Length	Dia	Length	Dia
173MHz	-	-	*	*	-	-	-	-	*	*
315MHz	-	-	72	13	105	17	-	-	*	*
433MHz	55	14	55.5	13	84	17	35	14	490	14
458MHz	-	-	-	-	81	17	-	-	-	-
868MHz	-	-	-	-	-	-	-	-	-	-
916MHz	-	-	83	13	*	*	-	-	-	-



# Antenna

## Puk / Dipole Antenna Dimensions (mm)

	Puk			Dipole			
	Height	Dia	Cable Length	Length	Width	Height	Cable Length
433MHz	52	47	500				
900/1800 MHz				112	60	10	175

## Part Numbers

<b><sup>1</sup>/<sub>4</sub> Wave Whip</b>					
Fixing	315MHz	433MHz	458MHz	868MHz	915Hz
M4	-	FLEXI-M4-433	-	FLEXI-M4-868	-
4BA	FLEXI-4BA-315	FLEXI-4BA-433	-	-	FLEXI-4BA-916
BNC	-	FLEXI-BNC-433	FLEXI-BNC-458	FLEXI-BNC-868	-

<b>Helical</b>					
Fixing	173MHz	315MHz	433MHz	458MHz	915Hz
M4	-	-	PU-M4-433	-	-
4BA	PH-4BA-173	PU-4BA-315	PU-4BA-433	-	PU-4BA-916
BNC	-	PU-BNC-315	PU-BNC-433	PU-BNC-458	-


<b>Compressed Helical</b>					
Fixing	173MHz	433MHz	458MHz	868MHz	915Hz
M4	-	PHC-M4-433	-	-	-

<b>Gain Antenna</b>					
Fixing	173MHz	433MHz	458MHz	868MHz	915Hz
Mag Mount	SR150M/TS	-	-	-	-
Wall Mounting Bracket (incl)	-	MB450-RFS433	-	-	-
YAGI	-	-	YU8-458	-	-


<b>Puk / Dipole Antenna</b>		
Fixing	433MHz	900/1800 MHz
BNC	ANTPUK1-433	-
SMA	ANTPUK1-433-SMA	ANTGSM-ADH-RASMA

## SCTM4RA

The SCRTM4RA is a PCB mounting terminal providing a simple method of attaching a low cost 4mm Screw thread antenna to a PCB.



PCB Layout



All dimensions in mm

$A = 5,1$ mm excluding screw head, this also depends on how far the screw terminal is from the outside surface of the box its fitted into.